

Communicating Mobile Processes

Peter Welch and Fred Barnes
University of Kent at Canterbury
Computing Laboratory
p.h.welch@kent.ac.uk
f.r.m.barnes@kent.ac.uk

Tuna Kickoff Meeting, York
(12th. November, 2004)

19-Nov-04

Copyright P.H.Welch

1

occam- π


- ◆ Processes, channels, (**PAR**) networks
- ◆ (**ALT**) choice between multiple events
- ◆ **Mobile data types**
- ◆ **Mobile process types**
- ◆ **Mobile channel types**
- ◆ **Performance**

+ channel bundles, alias checking, no race hazards, dynamic memory, no garbage, recursion, forking, extended rendezvous, process priorities, ...

19-Nov-04

Copyright P.H.Welch

3



19-Nov-04

Copyright P.H.Welch

2

Aspirations and Principles

- **Simplicity**
 - ◆ There must be a consistent (*denotational*) semantics that matches our intuitive understanding for *Communicating Mobile Processes*.
 - ◆ There must be as direct a relationship as possible between the formal theory and the implementation technologies to be used.
 - ◆ Without the above link (e.g. *using C++/posix or Java/monitors*), there will be too much uncertainty as to how well the systems we build correspond to the theoretical design.
- **Dynamics**
 - ◆ Theory and practice must be flexible enough to cope with process mobility, location awareness, network growth and decay, disconnect and re-connect and resource sharing.
- **Performance**
 - ◆ Computational overheads for managing (*millions of*) evolving processes must be sufficiently low so as not to be a show-stopper.
- **Safety**
 - ◆ Massive concurrency – but no race hazards, deadlock, livelock or process starvation.

19-Nov-04

Copyright P.H.Welch

4

Processes and Channel-Ends



```
PROC integrate (CHAN INT in?, out!)
```

An **occam** process may only use a channel parameter one-way (either for input or for output). That direction is specified (**?** or **!**), along with the structure of the messages carried – in this case, simple **INTs**. The compiler checks that channel usage within the body of the **PROC** conforms to its declared direction.

19-Nov-04

Copyright P.H.Welch

5

Processes and Channel-Ends



```
PROC integrate (CHAN INT in?, out!)
```

INITIAL INT total IS 0:

WHILE TRUE

INT x:

SEQ

in ? x

total := total + x

out ! total

serial implementation

:

Copyright P.H.Welch

6

With an Added Kill Channel



```
PROC integrate.kill (CHAN INT in?, out!, kill?)
  INITIAL INT total IS 0:
  INITIAL BOOL ok IS TRUE:
  ... main loop
  :

```

serial implementation

19-Nov-04

Copyright P.H.Welch

7

Choosing between Multiple Events



```
WHILE ok      -- main loop
  INT x:
  PRI ALT
    kill ? x
    ok := FALSE
    in ? x
    SEQ
    total := total + x
    out ! total
  :

```


serial implementation

19-Nov-04

Copyright P.H.Welch

8

Parallel Process Networks



```
PROC integrate (CHAN INT in?, out!)
  CHAN INT a, b, c:
  PAR
    plus (in?, c?, a!)
    delta (a?, out!, b!)
    prefix (0, b?, c!)
  :
  
```

parallel implementation




19-Nov-04

Copyright P.H.Welch

9

With an Added Kill Channel



```
PROC integrate.kill (CHAN INT in?, out !, kill?)
  CHAN INT a, b, c, d:
  PAR
    poison (in?, kill?, d!)
    plus (d?, c?, a!)
    delta (a?, out!, b!)
    prefix (0, b?, c!)
  :
  
```

parallel implementation




19-Nov-04

Copyright P.H.Welch

10

Copy Data Types



DATA TYPE FOO IS ... :


```
CHAN FOO c:
PAR
  A (c!)
  B (c?)
  
```

19-Nov-04

Copyright P.H.Welch

11

Copy Data Types



DATA TYPE FOO IS ... :


```
PROC A (CHAN FOO c!)
  FOO x:
  SEQ
    ... set up x
    c ! x
  :
  PROC B (CHAN FOO c?)
    FOO y:
    SEQ
      ... some stuff
      
```

19-Nov-04

Copyright P.H.Welch

12

Copy Data Types



DATA TYPE FOO IS ... :

```
PROC A (CHAN FOO c!)
  FOO x:
  SEQ
    ... set up x
    c ! x
    ... more stuff
  :
  PROC B (CHAN FOO c?)
    FOO y:
    SEQ
      ... some stuff
      c ? y
      ... more stuff
```


x and y reference different pieces of data

19-Nov-04

Copyright P.H.Welch

13

Mobile Data Types



DATA TYPE M.FOO IS MOBILE ... :


```
CHAN M.FOO c:
  PAR
    A (c!)
    B (c?)
```

19-Nov-04

Copyright P.H.Welch

14

Mobile Data Types



DATA TYPE M.FOO IS MOBILE ... :


```
PROC A (CHAN M.FOO c!)
  M.FOO x:
  SEQ
    ... set up x
    c ! x
  :
  PROC B (CHAN M.FOO c?)
    M.FOO y:
    SEQ
      ... some stuff
```

19-Nov-04

Copyright P.H.Welch

15

Mobile Data Types



DATA TYPE M.FOO IS MOBILE ... :

```
PROC A (CHAN M.FOO c!)
  M.FOO x:
  SEQ
    ... set up x
    c ! x
    ... more stuff
  :
  PROC B (CHAN M.FOO c?)
    M.FOO y:
    SEQ
      ... some stuff
      c ? y
      ... more stuff
```

The data has moved – x cannot be referenced


19-Nov-04

Copyright P.H.Welch

16


Mobile Process Types

An **occam- π** mobile process, embedded anywhere in a dynamically evolving network, may **suspend** itself mid-execution, be safely **disconnected** from its local environment, **moved** (by channel communication) to a new environment, **reconnected** to that new environment and **reactivated**.




Mobile Process Types

An **occam- π** mobile process, embedded anywhere in a dynamically evolving network, may **suspend** itself mid-execution, be safely **disconnected** from its local environment, **moved** (by channel communication) to a new environment, **reconnected** to that new environment and **reactivated**.




Mobile Process Types

An **occam- π** mobile process, embedded anywhere in a dynamically evolving network, may **suspend** itself mid-execution, be safely **disconnected** from its local environment, **moved** (by channel communication) to a new environment, **reconnected** to that new environment and **reactivated**.



Mobile Process Types

An **occam- π** mobile process, embedded anywhere in a dynamically evolving network, may **suspend** itself mid-execution, be safely **disconnected** from its local environment, **moved** (by channel communication) to a new environment, **reconnected** to that new environment and **reactivated**.



Mobile Process Types

An **occam- π** mobile process, embedded anywhere in a dynamically evolving network, may **suspend** itself mid-execution, be safely **disconnected** from its local environment, **moved** (by channel communication) to a new environment, **reconnected** to that new environment and **reactivated**.

Upon reactivation, the process resumes from the same state (*i.e. data values and code positions*) it held when suspended. Its view of that environment is unchanged, **since that is abstracted by its channel interface**. The environment on the other side of that abstraction, however, will usually be different.

The mobile process may itself contain **any number of levels** of dynamically evolving parallel sub-network.


19-Nov-04

Copyright P.H.Welch

21

Mobile Process Types

When **passive**, they may be **activated** or **moved**. A **moved** process remains **passive**. An **active** process cannot be **moved** or **activated** in parallel.



When an **active** mobile process **suspends**, it becomes **passive** – retaining its state and code position. When it moves, its state moves with it. When re-**activated**, it sees its previous state and continues from where it left off.


19-Nov-04

Copyright P.H.Welch

23

Mobile Process Types

Mobile processes are entities encapsulating state and code. They may be **active** or **passive**. Initially, they are **passive**.



The state of a mobile process can only be discovered by interacting with it when **active**. When **passive**, its state is locked – even against reading.

19-Nov-04

Copyright P.H.Welch

22

Mobile Process Types

Mobile processes exist in many technologies – such as **applets**, **agents** and in distributed operating systems.

occam- π offers (will offer) support for them with a formal **denotational** semantics, very high security and very low overheads.

Process mobility semantics follows naturally from that for mobile data and mobile channel-ends.

We need to introduce a concept of process **types** and **variables**.

19-Nov-04

Copyright P.H.Welch

24

Mobile Process Types

Process **type** declarations give names to **PROC** header templates. Mobile processes may implement types with synchronisation parameters only (i.e. **channels**, **barriers**, **buckets**, etc.) and records and fixed-size arrays of the same. For example:

```
PROC TYPE IN.OUT.SUSPEND (CHAN INT in?, out!, suspend?):
```

The above declares a process **type** called **IN.OUT.SUSPEND**. Note that the earlier example, **integrate.kill**, conforms to this type.

Process **types** are used in two ways: for the declaration of process **variables** and to define the **connection interface** to a mobile process.

19-Nov-04

Copyright P.H.Welch

25

Mobile Processes and Types

A process **type** may be implemented by many mobile processes – each offering different behaviours.

The mobile process from the last slide, **integrate.suspend**, implements the process type, **IN.OUT.SUSPEND**, defined earlier. Other processes could implement the same type.

A process **variable** has a specific process type. Its value may be **undefined** or **some mobile process** implementing its type. A process variable may be bound to different mobile processes, offering different behaviours, at different times in its life. When **defined**, it can only be activated according to that type.

19-Nov-04

Copyright P.H.Welch

27

Mobile Process Example



```
MOBILE PROC integrate.suspend (CHAN INT in?, out!, suspend?)  
IMPLEMENTS IN.OUT.SUSPEND
```

```
INITIAL INT total IS 0: -- local state  
WHILE TRUE  
    INT x:  
    PRI ALT  
        suspend ? x  
        SUSPEND -- control returns to activator  
        -- control resumes here when next activated  
        in ? x  
        SEQ  
            total := total + x  
            out ! total
```


:

19-Nov-04

Copyright P.H.Welch

26

Mobile Process Example



```
PROC A (CHAN IN.OUT.SUSPEND process.out!)
```

```
IN.OUT.SUSPEND p:  
SEQ  
    -- p is not yet defined (can't move or activate it)  
    p := MOBILE integrate.suspend  
    -- p is now defined (can move and activate)  
    process.out ! p  
    -- p is now undefined (can't move or activate it)
```


:

19-Nov-04

Copyright P.H.Welch

28

Mobile Process Example



```


PROC B (CHAN IN.OUT.SUSPEND process.in?, process.out?,
    CHAN INT in?, out!, suspend?)
WHILE TRUE
    IN.OUT.SUSPEND q:
    SEQ
        ... input a process to q
        ... plug into local channels and activate q
        ... when finished, send it on its way
    :
  
```

19-Nov-04

Copyright P.H.Welch

29

Mobile Process Example



```


WHILE TRUE
    IN.OUT.SUSPEND q:
    SEQ
        -- q is not yet defined (can't move or activate it)
        process.in ? q
        -- q is now defined (can move and activate)
        q (in?, out!, suspend?)
        -- q is still defined (can move and activate)
        process.out ! q
        -- q is now undefined (can't move or activate it)
  
```

19-Nov-04

Copyright P.H.Welch

30

Mobile Process Network



```

CHAN IN.OUT.SUSPEND c, d:
CHAN INT in, out, suspend:
... other channels
PAR
    A (c!)
    B (c?, d!, in?, out!, suspend?)
    ... other processes
  
```

19-Nov-04

Copyright P.H.Welch

31

Mobile Networks

Thanks to Tony Hoare for the insight allowing for the safe suspension of mobiles that have gone parallel internally [[bar conversation, GC conference, Newcastle \(29/03/2004\)](#)].

Our earlier model handles this by requiring normal termination of a mobile before it can be moved – i.e. a **multiway synchronisation** on the termination event of all internal processes.

So, treat **SUSPEND** as a special event bound to all internal processes of the mobile (and local to them – i.e. hidden from its environment). The **SUSPEND** only completes when all internal processes engage. Then, the mobile “**early terminates**” its activation.

For implementation, we just need a CSP event (an **occam- π BARRIER**) reserved in the workspace of any mobile. To reactivate, all its suspended processes will be on the queue held by that event – **easy!**

Well, not quite that easy ... but it certainly sorted this problem.

19-Nov-04

Copyright P.H.Welch

32

Graceful Suspension

We must still arrange for ‘graceful’ suspension by all the processes within a mobile.

If one sub-process gets stuck on an internal communication while all its sibling processes have suspended, we have deadlock.



Fortunately, there is a standard protocol for safely arranging this parallel suspend – it’s the same as that for ‘graceful’ termination.



This is left for the mobile application to implement. It’s a concern orthogonal to the (language) design and mechanics of mobile suspension – in the same way that the ‘graceful’ termination protocol is orthogonal to the mechanics of parallel termination.


Separately, we are considering language support for such distributed decisions ...

19-Nov-04

Copyright P.H.Welch

33

Mobile Network Example



```
MOBILE PROC integrate.suspend (CHAN INT in?, out!, suspend?)
IMPLEMENTS IN.OUT.SUSPEND
CHAN BOOL.INT a, b, c, d:
PAR
  freeze (in?, suspend?, d!)
  plus.suspend (d?, c?, a!)
  delta.suspend (a?, b!, out!)
  prefix.suspend (0, b?, c!)
```


parallel suspension

19-Nov-04

Copyright P.H.Welch

34

Mobile Network Example



```
MOBILE PROC integrate.suspend (CHAN INT in?, out!, suspend?)
IMPLEMENTS IN.OUT.SUSPEND
CHAN BOOL.INT a, b, c, d:
PAR
  freeze (in?, suspend?, d!)
  plus.suspend (d?, c?, a!)
  delta.suspend (a?, b!, out!)
  prefix.suspend (0, b?, c!)
```


parallel suspension

19-Nov-04

Copyright P.H.Welch

35

Graceful Suspension




```
PROC freeze (CHAN INT in?, suspend?, CHAN BOOL.INT out!)
  WHILE TRUE
    PRI ALT
      INT any:
        suspend ? any
        SEQ
          out ! FALSE; 0          -- suspend signal
          SUSPEND
      INT x:
        in ? x
        out ! TRUE; x          -- forward data
      :
```

19-Nov-04

Copyright P.H.Welch

36

Mobile Network Example




```
MOBILE PROC integrate.suspend (CHAN INT in?, out!, suspend?)
IMPLEMENTS IN.OUT.SUSPEND
CHAN BOOL.INT a, b, c, d:
PAR
  freeze (in?, suspend?, d!)
  plus.suspend (d?, c?, a!)
  delta.suspend (a?, b!, out!)
  prefix.suspend (0, b?, c!)
:
```

19-Nov-04


Copyright P.H.Welch

37



```
PROC plus.suspend (CHAN BOOL.INT in.0?, in.1?, out!)
  WHILE TRUE
    BOOL b.0, b.1:
    INT x.0, x.1:
    SEQ
      PAR
        in.0 ? b.0; x.0          --  $b.0 \Leftrightarrow$  no suspend
        in.1 ? b.1; x.1          --  $b.1 = \text{TRUE}$ 
      IF
        b.0
          out ! TRUE; x.0 + x.1 -- new running sum
        TRUE
        SEQ
          out ! FALSE; x.1      -- suspend signal (with sum)
          SUSPEND
:
19-Nov-04
Copyright P.H.Welch
38
```

Mobile Network Example




```
MOBILE PROC integrate.suspend (CHAN INT in?, out!, suspend?)
IMPLEMENTS IN.OUT.SUSPEND
CHAN BOOL.INT a, b, c, d:
PAR
  freeze (in?, suspend?, d!)
  plus.suspend (d?, c?, a!)
  delta.suspend (a?, b!, out!)
  prefix.suspend (0, b?, c!)
:
```

19-Nov-04


Copyright P.H.Welch

39



```
PROC delta.suspend (CHAN BOOL.INT in?, out.0!, CHAN INT out.1!)
  WHILE TRUE
    BOOL b:
    INT x:
    SEQ
      in ? b; x          --  $b \Leftrightarrow$  no suspend
      IF
        b
          PAR
            out.0 ! TRUE; x -- feedback running sum
            out.1 ! x      -- output running sum
          TRUE
          SEQ
            out.0 ! FALSE; x -- suspend signal (with sum)
            SUSPEND
:
19-Nov-04
Copyright P.H.Welch
40
```

Mobile Network Example



```
MOBILE PROC integrate.suspend (CHAN INT in?, out!, suspend?)
IMPLEMENTS IN.OUT.SUSPEND
CHAN BOOL.INT a, b, c, d:
PAR
  freeze (in?, suspend?, d!)
  plus.suspend (d?, c?, a!)
  delta.suspend (a?, b!, out!)
  prefix.suspend (0, b?, c!)
:
```


19-Nov-04

Copyright P.H.Welch

41

parallel
suspension

Mobile Network Example



```
MOBILE PROC integrate.suspend (CHAN INT in?, out!, suspend?)
IMPLEMENTS IN.OUT.SUSPEND
CHAN BOOL.INT a, b, c, d:
PAR
  freeze (in?, suspend?, d!)
  plus.suspend (d?, c?, a!)
  delta.suspend (a?, b!, out!)
  prefix.suspend (0, b?, c!)
:
```

19-Nov-04

Copyright P.H.Welch

43

parallel
suspension



```
PROC prefix.suspend (VAL INT n, CHAN BOOL.INT in?, out!)
```

```
SEQ
  out ! n
  WHILE TRUE
    BOOL b:
    INT x:
    SEQ
      in ? b; x           -- b ⇔ no suspend
      IF
        b
        SKIP
      TRUE
      SUSPEND
      out ! TRUE; x      -- feedback running sum (no suspend)
    :
  :
```

19-Nov-04

Copyright P.H.Welch

42

Graceful Suspension

This parallel version of the **integrate.suspend** mobile process promptly suspends when its environment offers its ‘**suspend?**’ signal. It does this without deadlocking, without accepting any further ‘**in?**’ data and with flushing to ‘**out!**’ any data owed to its environment – i.e. it honours the contract (we intend to associate with **IN.OUT.SUSPEND**).



Deadlock would occur if the sequence of *output communication* and *suspension* were reversed in any of its component processes.



In fact, the *output* and *suspend* operations could safely be run in parallel by all components, except for **prefix.suspend** (where deadlock would result since the output would never be accepted).



This shows the care that must be taken in applying the ‘*graceful suspension*’ protocol – responsibility for which we are leaving, for the moment, with the application engineer.

19-Nov-04

Copyright P.H.Welch

44

Graceful Suspension

Finally, note that the request for a **SUSPEND** need not come only from the environment of a mobile. It could be a unilateral decision by the mobile itself (subject, of course, to satisfying any behavioural contract declared by its underlying type). It could be initiated by the mobile and negotiated with its environment. It could be all of these in parallel!

The ‘graceful’ protocol can deal with such concurrent decisions safely.



19-Nov-04

Copyright P.H.Welch

45

Mobile Contracts

Safety

- ◆ A **connection** (**PROC TYPE**) interface provides a *necessary* but *not sufficient* mechanism for safety.
- ◆ The host environment needs more assurance of good behaviour from an arriving mobile – e.g. that it will not cause *deadlock* or *livelock*, will not *starve* host processes of attention ... and will *suspend* when asked.
- ◆ Of course, reciprocal promises by the host environment are just as important to the mobile.

Behavioural Process Types

- ◆ We are looking to boost the **PROC TYPE** with a **contract** that makes (some level of) CSP specification of behaviour.
- ◆ Initially, we are considering just trace specifications that the compiler can verify against implementing mobiles.
- ◆ The host environment of each activated mobile also needs to be checked against the contract (e.g. via **FDR**).

19-Nov-04

Copyright P.H.Welch

47

Mobile Contracts

Process Type

- ◆ Currently, the **PROC TYPE** defines only the **connections** that are required and offered by a mobile.
- ◆ The activating process has complete charge over setting up those connections. They are the only way a mobile can interact with its hosting environment. Nothing can happen without the knowledge and active participation of the host.

Contract

- ◆ This describes how a mobile is prepared to **behave** with respect to the synchronisation offers it receives from its environment (as parametrised by the **PROC TYPE** of the mobile).
- ◆ CSP provides a powerful algebra for specifying rich patterns of such behaviour.

Function

- ◆ This describes how **values generated** by the mobile relate to **values received**.
- ◆ Z specifications of the mobile as a state machine work here (and are integrated with CSP in the **Circus** algebra of Woodcock et al.).

19-Nov-04

Copyright P.H.Welch

46

Mobile Contracts

PROC TYPE IN.OUT.SUSPEND (CHAN INT in?, out!, suspend?) :



For example, an **IN.OUT.SUSPEND** process is a **server** on its ‘**in?**’ and ‘**suspend?**’ channels, responding to an ‘**in?**’ with an ‘**out!**’ and to a ‘**suspend?**’ with **suspension** (“early termination”).

Or this could be strengthened to indicate *priorities* for service ...

Or weakened to specify just its traces ...

Or weakened further to allow the number of ‘**in?**’ events to exceed the ‘**out!**’ events by more than one ... and, of course, that the ‘**out!**’s never exceed the ‘**in?**’s ...

19-Nov-04

Copyright P.H.Welch

48

Mobile Contracts

```
PROC TYPE IN.OUT.SUSPEND (CHAN INT in?, out!, suspend?):
```



A behaviour we may want to prohibit is that an **IN.OUT.SUSPEND** process will not accept a '**suspend?**' with an answer outstanding – i.e. that a '**suspend?**' may only occur when the number of '**in?**' and '**out!**' events are equal.

This may be important both for the hosting environment and the mobile. Without such a contract, an **IN.OUT.SUSPEND** mobile could arrive that always refuses its '**suspend?**' channel (and could never be removed by its host!) or activates with an '**out!**' (and deadlocks its host!).

Note that '**integrate.suspend**' satisfies all these discussed contracts ...

19-Nov-04

Copyright P.H.Welch

49

Mobile Process Example



```
MOBILE PROC integrate.suspend (CHAN INT in?, out!, suspend?)  
IMPLEMENTS IN.OUT.SUSPEND
```

```
INITIAL INT total IS 0: -- local state
WHILE TRUE
  INT x:
  PRI ALT
    suspend ? x
      SUSPEND -- control returns to activator
      -- control resumes here when next activated
    in ? x
    SEQ
      total := total + x
      out ! total
:
```

19-Nov-04

Copyright P.H.Welch

50

Process Performance (occam- π)

- Memory overheads per parallel process:
 - ≤ 32 bytes (depends on whether the process needs to wait on **timeouts** or perform **choice** (ALT) operations).
- Micro-benchmarks (**800 MHz. Pentium III**) show:
 - process (startup + shutdown): **30 ns** (no priorities) \rightarrow **70 ns** (priorities);
 - change priority (up \wedge down): **160 ns**;
 - channel communication (**INT**): **60 ns** (no priorities) \rightarrow **60 ns** (priorities);
 - channel communication (**fixed-sized MOBILE** data): **120 ns** (with priorities, independent of size of the **MOBILE**);
 - channel communication (**dynamic-sized MOBILE** data, **MOBILE** channel-ends): **120 ns** (with priorities, independent of size of **MOBILE**);
 - MOBILE** process allocation: **450 ns**; **MOBILE** process activate + terminate: **100 ns**; **MOBILE** process suspend + re-activate: **630 ns**;
 - all times independent of number of processes and priorities used – **until cache misses kick in**.

19-Nov-04

Copyright P.H.Welch

51

Process Performance (occam- π)

- Memory overheads per parallel process:
 - ≤ 32 bytes (depends on whether the process needs to wait on **timeouts** or perform **choice** (ALT) operations).
- Micro-benchmarks (**3.4 GHz. Pentium IV**) show:
 - process (startup + shutdown): **00 ns** (no priorities) \rightarrow **50 ns** (priorities);
 - change priority (up \wedge down): **140 ns**;
 - channel communication (**INT**): **40 ns** (no priorities) \rightarrow **50 ns** (priorities);
 - channel communication (**fixed-sized MOBILE** data): **150 ns** (with priorities, independent of size of the **MOBILE**);
 - channel communication (**dynamic-sized MOBILE** data, **MOBILE** channel-ends): **110 ns** (with priorities, independent of size of **MOBILE**);
 - MOBILE** process allocation: **210 ns**; **MOBILE** process activate + terminate: **020 ns**; **MOBILE** process suspend + re-activate: **260 ns**;
 - all times independent of number of processes and priorities used – **until cache misses kick in**.




19-Nov-04

Copyright P.H.Welch

52

Process Performance (occam- π)




p process pairs, **m** messages (INT) per pair
– where $(p * m) = 128,000,000$.

19-Nov-04

Copyright P.H.Welch

53

Process Performance (occam- π)




19-Nov-04

Copyright P.H.Welch

54

Mobility via Mobile Channels (Tarzan)



To swing down a chain of **1M** servers, exchanging one **INT** during each visit: **770 nsecs/visit (P3), 280 nsecs/visit (P4)**

To swing down a chain of **1M** servers, but doing no business:
450 nsecs/visit (P3), 120 nsecs/visit (P4)


19-Nov-04

Copyright P.H.Welch

55

Mobility via Mobile Channels (Tarzan)

RECURSIVE CHAN TYPE SERVE
MOBILE RECORD
... *business channels*
CHAN SHARED SERVE! another! :
:



```
PROC server (VAL INT id, SERVE? serve,
            SHARED SERVE! left, right)
... local state and initialisation
WHILE TRUE
  SEQ
    ... conduct business (via serve)
    IF
      send.left
      serve[another] ! left
    TRUE
      serve[another] ! right
:

```

19-Nov-04

Copyright P.H.Welch

56

Mobility via Mobile Channels (Tarzan)

```

PROC visitor (VAL INT count, SHARED SERVE! client, INT time)
  TIMER tim:
  INT t0, t1:
  ... other local state and initialisation
  SEQ
    tim ? t0
    SEQ i = 0 FOR count
      SHARED SERVE! next:
      SEQ
        CLAIM client
        SEQ
          ... conduct business (via client)
          client[another] ? next
        client := next
      tim ? t1
      time := t1 MINUS t0
    :
  
```




19-Nov-04

Copyright P.H.Welch

57

Mobility via Mobile Channels (Tarzan)



```


MOBILE[] SHARED SERVE! client:
MOBILE[] SERVE! serve:
SEQ
  client := MOBILE [n.servers] SHARED SERVE!
  serve := MOBILE [n.servers] SERVE?
  SEQ i = 0 FOR n.servers
    client[i], serve[i] := MOBILE SERVE
  PAR
    PAR i = 0 FOR n.servers -- actually set up a ring
      server (i, serve[i], client[((i+n.servers)-1)\n.servers],
               client[(i+1)\n.servers])
    ... launch visitor and report time
  
```

19-Nov-04

Copyright P.H.Welch

58

Mobility via Mobile Channels (Tarzan)



```


{{ launch visitor and report time
INT time:
SEQ
  ... wait for the servers to set up
  visitor (n.servers, client[0], time)
  ... report time
}}
  
```

19-Nov-04

Copyright P.H.Welch

59

Mobility via Mobile Processes (Mole)



To tunnel through a chain of **1M** servers, exchanging one **INT** during each visit: **1590 nsecs/visit (P3), 620 nsecs/visit (P4)**


To tunnel through a chain of **1M** servers, but doing no business: **1340 nsecs/visit (P3), 470 nsecs/visit (P4)**

19-Nov-04


Copyright P.H.Welch

60

Mobility via Mobile Processes (Mole)



```
PROC TYPE VISITOR (CHAN INT in?, out!, SHARED SERVE! client):
```



```
PROC butler (CHAN MOBILE VISITOR in?, SHARED SERVE! client)
  WHILE TRUE
    MOBILE VISITOR harry:
    SEQ
      in ? harry
      FORK platform (client, harry)
    :
```

19-Nov-04

Copyright P.H.Welch

61

Mobility via Mobile Processes (Mole)

```
CHAN TYPE RAIL
  MOBILE RECORD
    CHAN MOBILE VISITOR c? :
```



```
PROC platform (MOBILE VISITOR visitor, SHARED SERVE! client)
  SHARED RAIL! next: -- should be a HOLE parameter
  CHAN INT dummy.in, dummy.out: -- this is not nice
  SEQ
    visitor (dummy.in?, dummy.out!, client) -- activate
    client[another] ? next
    CLAIM next
    next[c] ! harry
  :
```


19-Nov-04

Copyright P.H.Welch

62

Mobility via Mobile Processes (Mole)

```
MOBILE PROC visitor (CHAN INT in?, out!, SHARED SERVE! client)
  IMPLEMENTS VISITOR
  TIMER tim:
  INT count, t0, t1:
  ... other state variables
  SEQ
    in ? count
    ... initialise other state
    SUSPEND
    tim ? t0
    SEQ i = 0 FOR count
      SEQ
        CLAIM client
        ... do business (using client's business channels)
        SUSPEND
        tim ? t1
        out ! t1 MINUS t0
    :
```




19-Nov-04

Copyright P.H.Welch

63

Mobility via Mobile Processes (Mole)




... declare channels

SEQ
 ... initialise channels

PAR
 ... set up server chain

... set up, release, catch, and debrief harry




19-Nov-04

Copyright P.H.Welch

64

Mobility via Mobile Processes (Mole)



```
MOBILE VISITOR harry:  
INT time:  
SEQ  
  harry := MOBILE VISITOR  
  ... initialise harry (with number of visits to perform)
```


19-Nov-04

Copyright P.H.Welch

65

set up harry

Mobility via Mobile Processes (Mole)



```
release, catch and  
debrief harry
```

```
SEQ  
  CLAIM rail.client[0]  
  rail.client[0] ! harry  
  rail.server[n.servers] [c] ? harry  
  ... debrief harry (get timing)
```

```
-- release harry  
-- catch harry
```

19-Nov-04

Copyright P.H.Welch

66

... for example ...

19-Nov-04

Copyright P.H.Welch

67

Modelling Bio-Mechanisms

- **In-vivo \leftrightarrow In-silico**
 - ◆ One of the UK 'Grand Challenge' areas.
 - ◆ Move *life-sciences* from *description* to *modelling / prediction*.
 - ◆ Example: the Nematode worm.
 - ◆ Development: from fertilised cell to adult (with virtual experiments).
 - ◆ Sensors and movement: reaction to stimuli.
 - ◆ Interaction between organisms and other pieces of environment.
- **Modelling technologies**
 - ◆ Communicating process networks – fundamentally good fit.
 - ◆ Cope with growth/decay, combine/split (evolving topologies).
 - ◆ Mobility and location/neighbour awareness.
 - ◆ Simplicity, dynamics, performance and safety.
- **occam- π (and JCSP)**
 - ◆ Robust and lightweight – good theoretical support.
 - ◆ $\sim 10,000,000$ processes with useful behaviour in useful time.
 - ◆ Enough to make a start ...

19-Nov-04

Copyright P.H.Welch

68

Mobility and Location Awareness

Classical communicating process applications

- ◆ Static network structures.
- ◆ Static memory / silicon requirements (pre-allocated).
- ◆ Great for hardware design and software for embedded controllers.
- ◆ Consistent and rich underlying theory – CSP.

Dynamic communicating processes – some questions


- ◆ *Mutating topologies*: how to keep them safe?
- ◆ *Mobile channel-ends and processes*: dual notions?
- ◆ *Simple operational semantics*: low overhead implementation? **Yes.**
- ◆ *Process algebra*: combine the best of CSP and the π -calculus? **Yes.**
- ◆ *Refinement*: for manageable system verification ... can we keep?
- ◆ *Location awareness*: how can mobile processes know where they are, how can they find each other and link up?
- ◆ *Programmability*: at what level – individual processes or clusters?
- ◆ *Overall behaviour*: planned or emergent?

19-Nov-04

Copyright P.H.Welch

69

Location (Neighbourhood) Awareness




19-Nov-04

Copyright P.H.Welch

70

Location (Neighbourhood) Awareness




19-Nov-04

Copyright P.H.Welch

71

Location (Neighbourhood) Awareness




19-Nov-04

Copyright P.H.Welch

72

Location (Neighbourhood) Awareness



19-Nov-04

Copyright P.H.Welch

73

A Thesis and Hypothesis

■ Thesis

- ◆ Natural systems are concurrent at all levels of scale. Central points of control do not remain stable for long.
- ◆ Natural systems are robust, efficient, long-lived and continuously evolving. **We should take the hint!**
- ◆ Natural mechanisms should map on to simple engineering principles with low cost and high benefit. Concurrency is a natural mechanism.
- ◆ We should look on **concurrency** as a **core design mechanism** – not as something difficult, used only to boost performance.
- ◆ Computer science took a wrong turn once. Concurrency should not introduce the algorithmic distortions and hazards evident in current practice. It should **hasten** the construction, commissioning and maintenance of systems.

■ Hypothesis

- ◆ The wrong turn can be corrected and this correction is needed now.

19-Nov-04

Copyright P.H.Welch

75

Mobility and Location Awareness

■ The Matrix

- ◆ A network of (mostly passive) server processes.
- ◆ Responds to client requests from the mobile agents and, occasionally, from *neighbouring* server nodes.
- ◆ Deadlock avoided (in the matrix) *either* by one-place buffered server channels or by pure-client slave processes (one per matrix node) that ask their server node for elements (e.g. mobile agents) and forward them to neighbouring nodes.
- ◆ Server nodes only see neighbours, maintain registry of currently located agents (and, maybe, agents on the neighbouring nodes) and answer queries from local agents (including moving them).

■ The Agents

- ◆ Attached to one node of the Matrix at a time.
- ◆ Sense presence of other agents – on local or neighbouring nodes.
- ◆ Interact with other local agents – must use agent-specific protocol to avoid deadlock. May decide to reproduce, split or move.
- ◆ Local (or global) **sync barriers** to maintain sense of time.

19-Nov-04

Copyright P.H.Welch

74

Summary – 1/4

■ **occam- π**

- ◆ Combines process and channel mobility (from the π -calculus) with the discipline and safety of **occam** and the composeable semantics of CSP. *Even with the new dynamics ... what-you-see-is-what-you-get.*
- ◆ Minor performance hits for the new dynamics. Overheads for mobiles are still comparable to those for static processes ... **$O(100)$ ns**.
- ◆ Potential security benefits for dynamic peer-to-peer networks and agent technologies ... **to be explored**.
- ◆ **Natural** for multi-layer modelling of *micro-organisms* (or *nanobots*) and *their environments* ... **to be explored**.
- ◆ Limited support for creating ‘**CLONE**’s of (inactive) mobile processes ... **to be finished**.
- ◆ Need key aspects of the ‘**CLONE**’ mechanism to support the *serialisation* procedures needed to communicate mobile processes between machines... **to be finished**.
- ◆ Semantics for mobile processes – **OK** (but need adapting for our new model). Mobile channels raise new problems ... **to be explored**.

19-Nov-04

Copyright P.H.Welch

76

Summary – 2/4

occam- π

- ◆ All dynamic extensions (including mobile processes) implemented in **KRoC** 1.3.3 (but 1.3.4-pre1 has more ☺).
- ◆ Denotational semantics for mobile processes (**UToP** / **Circus**) in print (Jim Woodcock, Xinbei Tang) – supporting *refinement*.
- ◆ Hierarchical networks, dynamic topologies, structural integrity, safe sharing (of data and channels).
- ◆ **Total alias control** by compiler : zero aliasing accidents, zero race hazards, zero nil-pointer exceptions and zero garbage collection.
- ◆ Zero buffer overruns.
- ◆ Most concurrency management is unit time – $O(100)$ nanosecs on modern architecture.
- ◆ Only implemented for x86 Linux and **RMoX** – other targets straightforward (but no time to do them ☹).
- ◆ Full open source (GPL / L-GPL).
- ◆ Formal methods: **FDR** model checker, refinement calculus (**CSP** and **CSP- π** ?), Circus (**CSP + Z**).

19-Nov-04

Copyright P.H.Welch

77

Summary – 4/4

We Aim to Have Fun ... ☺

- ◆ through the concurrency gateway ...
- ◆ beat the complexity / scalability rap ...
- ◆ necessary to start now ...



Google – I'm feeling Lucky ...

| | |
|--------------------------------|---|
| ◆ KRoC + ofa | -- occam- π (official) |
| ◆ KRoC + linux | -- occam- π (latest) |
| ◆ JCSP | -- CSP- π for Java |
| ◆ Quickstone | -- JCSP Networking Edition (Java / J#) |
| ◆ Grand Challenges + UK | -- In-vivo \leftrightarrow In-silico |
| ◆ CPA 2004 + Conference | -- 'Communicating Process Architectures' conference |
| ◆ WoTUG | -- Lots of good people ... |

Mailing lists ...

- ◆ occam-com@kent.ac.uk
- ◆ java-threads@kent.ac.uk

19-Nov-04

Copyright P.H.Welch

79

Summary – 3/4

The right stuff

- ◆ Nature builds robust, complex and successful systems by allowing independent organisms control of their own lives and letting them interact. *Central points of control do not remain viable for long*.
- ◆ Computer (software) engineers should take the hint! Concurrency should be a *natural way* to design any computer system (or component) above a minimal level of complexity.
- ◆ It should *simplify* and *hasten* the construction, commissioning and maintenance of systems; it should not introduce the hazards that are evident in current practice; *and it should be employed as a matter of routine*.
- ◆ *Natural* mechanisms should map into *simple* engineering mechanisms *with low cost and high benefit*.
- ◆ To do this requires a paradigm shift in the way we approach concurrency ... *to something much simpler*.
- ◆ Failure to do this will result in failure to meet the '**Grand Challenges**' that the 21st. Century is stacking up for us.

19-Nov-04

Copyright P.H.Welch

78

Putting CSP into practice ...



<http://www.cs.ukc.ac.uk/projects/ofa/kroc/>

19-Nov-04

Copyright P.H.Welch

80

Putting CSP into practice ...




<http://www.cs.ukc.ac.uk/projects/ofa/jcsp/>

19-Nov-04

Copyright P.H.Welch

81

Process Performance



128 writers (**p** active), **m** messages (**INT**) per **active** writer – where (**p*m**) = 128,000,000.

19-Nov-04

Copyright P.H.Welch

82

Process Performance

- **Micro-benchmarks (800 MHz. Pentium III) show:**

| 'fair' ALT communication | fixed overhead | cost per guard |
|---|----------------|----------------|
| 'stressed' (events always being offered) | (80 + 32) ns | 14 ns |
| 'unstressed' (no events on offer - initially) | 2000 ns * | 63 ns |

*for 128 guards (= 'stressed' cost when no guards are ready)

19-Nov-04

Copyright P.H.Welch

83