


# Humanized Computational Intelligence with Interactive Evolutionary Computation

Hideyuki TAKAGI  
Kyushu University  
takagi@design.kyushu-u.ac.jp  
[http:// www.design.kyushu-u.ac.jp/~takagi](http://www.design.kyushu-u.ac.jp/~takagi)


## Today's Talk

- **Part 1 Humanized Computational Intelligence**  
Hideyuki Takagi,  
"Fusion Technology of Neural Network and Fuzzy Systems:  
A Chronicled Progression from the Laboratory to Our Daily  
Lives,"  
Int. J. of Applied Mathematics and Computer Science,  
vol.10, no.4, pp.647-673 (2000).
- **Part 2 Interactive Evolutionary Computation**  
Hideyuki Takagi,  
"Interactive Evolutionary Computation: Fusion of the  
Capacities of EC Optimization and Human Evaluation,"  
Proceedings of the IEEE, vol.89, no.9, pp.1275-1296 (2001).


## Historical View





## Auto-Designing FS Using NN




Many consumer products and industrial systems.  
washing machines, vacuum cleaners, rice cookers,  
copy machines, microwave ovens, electric thermostats, ....



## Embedding Explicit Knowledge in NN Structure




NARA model



NARA-based FAX Order System

## Auto-Designing FS Using GA





Membership functions in antecedents, consequents parameters, and the number of rules can be simultaneously auto-designed by GA.

### Many Korean Consumer products




- Samsung
  - refrigerators (1994)
    - cool air flow control by FS
  - washing machine (1995)
    - motor control for lingerie washing by FS
- LG Electronics
  - dish washers, rice cookers, microwave ovens
    - neuro-fuzzy estimation or control
  - refrigerators, washing machine, vacuum cleaners
    - fuzzy control


## Fuzzy Control of GA Parameters



Dynamic Parametric GA

## User Trainable NN Based on GA






## NN fitness function of GA


### GA for on-line process control

How to find the best GA individual without applying to the actual process ?




Water control for a hydroponic system

## Cooperation of Computational Intelligence



Powerful cooperative technologies have been developed for these 10 years.

## What Comes Next ?



computer

+



real human


- System optimization based on human evaluation
- Computer support system for creativity, psychological and physical satisfaction

## Analytical Approach and Synthetic Approach


- Conventional AI approach is to model human or biological intelligence.
- Computational intelligence research has been biased to this analytical approach too much.
- Human is superior to its model.
- A synthetic approach is to directly embeds a human into a system instead of its model.

## Two Different Human Capabilities

### Knowledge



### KANSEI



## Humanized technology

### ROBOTICS, CONTROL

natural environment

location,  
speed,  
obstacles,  
...



human environment

preference,  
subjective evaluation  
emotion  
...

### DATA MINING

acquired knowledge

database

mining

IF ... THEN ...  
IF ... THEN ...

qualifying the knowledge



### SIGNAL PROCESSING

physical measurement


filter design

S/N ratio

human perception



## Humanized Technology



## Direction of Computational Intelligence

### Interactive Evolutionary Computation

2000

one research  
direction is:

**Humanized  
Computational  
Intelligence**

CI as  
human models

CI to be  
a competitor of humans

CI for human


## Part II Applications of Interactive Evolutionary Computation

Hideyuki Takagi, "Interactive Evolutionary Computation: Fusion of the Capacities of EC Optimization and Human Evaluation,"  
Proceedings of the IEEE vol.89, no.9, pp.1275--1296 (Sept., 2001).


## CONTENTS

1. What is IEC?
2. IEC-based CG
3. Other Artistic Applications
4. Signal Processing
5. Robotics and Control
6. Media DB Retrieval and Data Mining
7. Other IEC Applications

## What is IEC ?




## Interactive EC user evaluates multiple individuals in each generation



## Searching spaces of interactive EC tasks is generally simple, because .....

Any searching points that human operators cannot distinguish are same for human.



## Statistics of IEC Papers

	'80s	'90	'91	'92	'93	'94	'95	'96	'97	'98	'99	'00	total
graphic art & CG animation	2		3	2	4	5	5	2	2	4	9	4	42
3-D CG lighting design						1	3	1		3	1		5
music					1	3	3	1		1	3	5	17
editorial design									1		1	2	4
industrial design				2	2	1	5	4		2	4	9	29
face image generation			1		1	1	2		1	4	5	1	16
speech processing & prosodic control							2	1	2		1	1	7
hearing aids fitting										2	7	5	14
virtual reality								1	1				2
database retrieval							2	1	8	8	1	20	
knowledge acquisition & data mining							5	3	3	1	4	16	
image processing									1	2		3	
control & robotics				1				2		3	4	4	14
internet										1	2	1	4
food industry								1	1			2	
geophysics											1	2	3
art education											2	2	
writing education									1	3		4	
games and therapy								1	1	1		3	
social system										1		1	
discrete fitness value input method								5	2			7	
prediction of fitness values							1	2	1	8	3	1	16
interface for dynamic tasks							1				1	3	5
acceleration of EC convergence								1	1	3	1	7	
combination of IEC and non-IEC								1	2			3	
active intervention			1								3	2	6
total	2	0	5	5	8	11	23	28	22	48	57	43	252

## Researches on Interactive EC

@Takagi Laboratory

### application-oriented

- (1) 3-D CG lighting design support
- (2) montage image system
- (3) speech processing
- (4) hearing-aid fitting
- (5) virtual reality in robot control
- (6) media database retrieval
- (joint1) virtual aquarium
- (joint2) geoscientific simulation
- (joint3) 3-D CG modeling education
- (joint3) fireworks animation design
- (joint4) mental disease diagnosis
- (joint5) underground water management
- (joint6) MEMS design

### interface research

- (1) input interface
  - 1.1 discrete fitness value input method
- (2) display interface
  - 2.1 prediction of user's evaluation char's
  - 2.2 display for time-sequential tasks
- (3) acceleration of GA convergence
  - 3.1 approximation of EC landscape
- (4) active user intervention to EC search
  - 4.1 on-line knowledge embedding
  - 4.2 Visualized IEC

## IEC Research Categories

graphic art & CG animation  
3-D CG lighting design  
music  
editorial design  
industrial design  
face image generation

discrete fitness value input method  
prediction of fitness values  
interface for dynamic tasks  
acceleration of EC convergence  
combination of IEC and non-IEC  
active intervention  
Visualized IEC


speech processing  
hearing aids fitting  
virtual reality  
database retrieval  
data mining  
image processing  
control & robotics  
internet  
food industry  
geophysics

art education  
writing education  
games and therapy  
social system


## CONTENTS

1. What is IEC?
2. IEC-based CG
  - 2.1 CG Graphics Art
  - 2.2 CG Lighting Design
  - 2.3 Virtual Aquarium
  - 2.4 3-D Shape Design Education
  - 2.5 CG Animation
3. Other Artistic Applications
4. Signal Processing
5. Robotics and Control
6. Media DB Retrieval and Data Mining
7. Other IEC Applications


## Interactive GP for Graphic Art






## Our IEC-based CG Education Projects



## 3-D CG is Simulation of Photograph: CG Lighting is important as same as that of photograph









## Virtual Aquarium

by Y. Todoroki, H. Takagi, et al.


Visitors create their own fishes at home or school and enjoy to see the fishes swimming at an aquarium.



## Fish Shape Modeling by Math Functions




## User Interface and Created Sample Fishes



## Autonomous Fish Behavior Model

BOID : mutual fish positions and predation relationship

- Behavior decision rules
1. Chase the nearest prey fish.
  2. Escape from the nearest predator.
  3. Keep a certain distance from other fishes.
  4. Each class of fishes has own max. speed.




## Education of Imagination and Creativity for 3D Shape


It is **difficult** and **time consuming** for computer **beginners** (artist, non-technical student etc.) to acquire 3D modeling skill.




Apply **IEC** to **support CG skill** and **focus on** educating **imagination and creativity**.




## 3D Model Example



IEC changes shape parameters based on user's imagination




## IEC-base 3D Modeling Concept




## Subjective Test

Only **48** (8 parameters × 6 primitives) parameters are modified by GA


	Realistic Examination 	Creative Examination <b>ferocious green pepper</b>
Quality	Manual >> IEC	Manual = IEC
Operability	Manual > IEC	Manual < IEC

## Internet version of IEC 3-D Modeling Education System




## Evolution of Funny Animated Figures

by Jeffrey Ventrella



## Design of Fireworks CG Animation - parameter setting -


by K. Aoki, C. Tunetou, and H. Takagi



Some of real-fireworks parameters are used in our design support systems.

structure of fireworks ball  
types of HOSHI powder  
kinds of powder  
layout of HOSHI powder  
etc.

## Design of Fireworks CG Animation - structure design -



The structures of others are as well.

## Example of Student's Works



## CONTENTS

1. What is IEC?
2. IEC-based CG
3. Other Artistic Applications
  - 3.1 Montage
  - 3.2 Music
  - 3.3 Industrial, Commercial, and Web Design
4. Signal Processing
5. Robotics and Control
6. Media DB Retrieval and Data Mining
7. Other IEC Applications

## Montage Image (1/2)

by C. Caldwell and V.S. Johnston (1991)

$$\begin{array}{|c|} \hline \text{type and position} \\ \hline \text{of one of 32} \\ \hline \text{foreheads} \\ \hline 7 \text{ bit} \\ \hline \end{array} \times \begin{array}{|c|} \hline \text{eyes} \\ \hline \text{and their} \\ \hline \text{separation} \\ \hline 7 \text{ bit} \\ \hline \end{array} \times \begin{array}{|c|} \hline \text{shape and} \\ \hline \text{position of} \\ \hline \text{nose} \\ \hline 7 \text{ bit} \\ \hline \end{array} \times \begin{array}{|c|} \hline \text{shape and} \\ \hline \text{position of} \\ \hline \text{mouth} \\ \hline 7 \text{ bit} \\ \hline \end{array} \times \begin{array}{|c|} \hline \text{shape and} \\ \hline \text{position of} \\ \hline \text{chin} \\ \hline 7 \text{ bit} \\ \hline \end{array} = 3.4 \times 10^{10} \text{ faces}$$




target face



montage face  
three days later, 10 GA generations

## Montage Image (2/2)


by H. Takagi and K. Kishi



## IGA for Music

Sonomorphs: Melody Generator by G. L. Nelson (1993)

GenJam: Jazz Solo Generator by J. A. Biles (1994)



Rhythm Generator by D. Horowitz (1994)

## Industrial Design

by H. Furuta



## HTML Design

by N. Monmarche et al.



Looks nice !




EC

font of letters, colors of letters and background, and etc...

## Evolutionary Banner


by R. Gataresk



Visitors who click the banner

## Color Poster Design

By T. Obata and M. Hagiwara




## CONTENTS

1. What is IEC?
2. IEC-based CG
3. Other Artistic Applications
4. Signal Processing
  - 4.1 Hearing-based Speech Processing
  - 4.2 Prosody Control
  - 4.3 Hearing Aid Fitting
  - 4.4 Vision-based Image Processing
5. Robotics and Control
6. Media DB Retrieval and Data Mining
7. Other IEC Applications

## Why IEC-based Signal Processing?


There are many cases that SP users are not SP experts but need to design SP filters.



Solution is auditory-SP and visual-based SP without any SP knowledge.


IEC realizes this approach.

## Recovering Distorted Speech



## Experimental Result


-- Method of Successive Categories --



Sheffe's method of paired comparison showed that this difference is significant ( $p < 0.01$ ).

## Experimental Result

Sheffe's Method of Paired Comparisons




operators	combinations					
	● vs. (10)	● vs. (20)	● vs. (40)	(10) vs. (20)	(10) vs. (40)	(20) vs. (40)
A	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
B	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
C	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

difference is significant ( $p < 0.01$ )


## How Distorted Speech was Recovered?

Formant area was mainly recovered



## Voice Conversion by Interactive EC


by Y. Sato et al.






## IEC for Agent's Voice Design


By T. Morita, S. Iba and M. Ishizuka




## Hearing Compensation is Difficult



## Ideal Goal is Far



## Tuning System based on How User hears





## Evaluation


One – Two Weeks Later (5 subjects)

evaluation	IEC Fitting vs. audiologist fitting
monosyllable articulation	≒
sound quality	≒
fitting time	IEC < audiologist

Six Months Later (4 subjects)

evaluation	IEC Fitting vs. audiologist fitting
sound quality	≒
APHAB	≒

## Visualized IEC Fitting on a PDA



Visualized EC: parameters in an n-D EC landscape are mapped on a 2-D space for visualization.  
IEC Fitting: IEC-based hearing aid fitting


## Image Enhancement using Interactive GP

by R. Poli and S. Cagnoni

Image enhancement filter evolves according to how processed images look well.

## Echo-Cardiographic Image


by R. Poli and S. Cagnoni (1997)




- (1)  $0.554695 - g_1 g_2 - g_1^2 g_2 + g_2 - g_1 + g_2$
- (2)  $0.832041 - g_1 g_2 - 2g_1 + 2g_2 - g_1^2 g_2 + g_2 + \min(-0.277346 - g_1 + g_2, \max(g_1 g_2 - g_1))$
- (3)  $g_1 g_2 - g_2^2 + 2g_2 - 3g_1 - g_1 g_2 + 0.854702 + \min(2g_2 - 2g_1, -g_1(g_2 - g_1))$
- (4)  $g_1 g_2 - g_2^2 + 2g_2 - 2g_1 g_2 g_1^2 + 0.64861 + g_2 - g_1$

### Non-linear Density Transformation by Using of GP


- linear density transformation  
ex.invert




- non-linear density transformation by using GP




### GP-Based Image Filter by Using Neighborhood Pixels Information




### Experiment of IGP-Based Edge Detection




### Experiment of IGP-Based High Pass Filter Design



## IEC-based Color Filter Design




input image




examples of coloring

## Image Enhancement Filter Design by a Medical Doctor



original ultrasonic  
image of a lymph  
node




Enhanced Image  
after 12 IEC  
generations

## CONTENTS

1. What is IEC?
2. IEC-based CG
3. Other Artistic Applications
4. Signal Processing
- 5. Robotics and Control**
6. Media DB Retrieval and Data Mining
7. Other IEC Applications


## Human Friendly Trajectory Control of a Robot Arm

by N. Kubota, K. Watanabe and F. Kojima




## NN Controller for LEGO Jeep-Robot


by H. H. Lund, O. Miglino, L. Pagliarini, A. Billard, and A.




1. Children want to make a robot avoiding obstacles.
2. Children cannot make a program of its controller but can choose better robot moving.
3. Let's evolve the robot controller according to the children's choice.



$$y_j = \sum_{i=1}^n w_{ij}x_i + w_{0j}$$



## Interactive EC for Virtual Reality



by S. Kamohara, H. Takagi, and T. Takeda


## CONTENTS

1. What is IEC?
2. IEC-based CG
3. Other Artistic Applications
4. Signal Processing
5. Robotics and Control
6. Media DB Retrieval and Data Mining
7. Other IEC Applications




## Media DB Retrieval & Media Converter

by H. Takagi et al.




## IEC-based Image DB Retrieval

by S.-B. Cho, et al.




## Interactive EC for Data Mining

by T. Terano, Y. Ishino, et al.



## Visual Data-mining Through 2-D Mapping by GP

by Venturini




for example,

$$X = (x1-u) / (87.3 / x12) \quad Y = (46.7 * x6) * (25.2 + 81.0)$$

## CONTENTS


1. What is IEC?
2. IEC-based CG
3. Other Artistic Applications
4. Signal Processing
5. Robotics and Control
6. Media DB Retrieval and Data Mining
7. Other IEC Applications
  - 7.1 Geology, Environmental Engineering
  - 7.2 MEMS design
  - 7.3 Therapy
  - 7.4 Food Industry
  - 7.5 Composition Support

## Geological Modeling Based on Interactive EC




## Difficulty

- **many variables**
  - strength, depth, stress, etc.
- **no numerical target**
  - Numerical similarity may not mean qualitative similarity, such as wrong fault inclination, wrong depth extent.
  - Help of geologists is necessary.
- **computational optimisation with human judgement**
  - Computational optimisation methods to search material parameters are required besides geologist's judgement.




## IEC-based Modelling of Extension of the Earth's Crust

by C. Wijns et al.




## IEC-based Modelling of Subduction of Oceanic Crust



## Multi-Objective Optimization: Underground Water Management

joint research with UIUC



- Choosing dug wells, ●, for obtaining underground data to estimate the underground water situation of the new target well, X
- Four objectives (to minimize the cost, maximize the precision, and others)
- We want to use domain expert knowledge.  $\Leftarrow$  IEC

## Multi-Objective Optimization: MEMS Design




Kamalian, Takagi, and Agogino

**MEMS** (Micro Electronic Mechanical Systems) for Sensors, Robotics, Communications, Biotechnology, Energy Generation

- Multi-objective optimization for given specification: receiving frequency, strength, and others.
- We want to use **domain knowledge** for circuit design.

## Multi-Objective Optimization: MEMS Design

joint research with UC Berkeley



### IEC+EMO > EMO

(99% significant by Wilcoxon matched-pairs signed-ranks test.)

## IEC Results

- User tests performed with 12 students:



- 10 did better with IEC
- 1 did worse
- 1 tie

- By sign test, IEC is better with 98% significance
- By the Wilcoxon Matched-Pairs Signed-Ranks test, IEC is better with 99% significance

User #	Expert?	IEC+EMO # of 5's	EMO # of 5's	sign
1	Y	7	9	-1
2	Y	12	6	1
3	Y	7	3	1
4	N	6	2	1
5	Y	4	4	0
6	Y	11	9	1
7	N	8	7	1
8	Y	1	0	1
9	N	6	3	1
10	N	12	7	1
11	N	9	2	1


- Insufficient sample size to make judgment about whether or not MEMS experience has impact

## Psychotherapy / Diagnostics



## Evolving Blends of Coffee

by M. Hardy





## Simulated Breeding for Composition Support System

by K. Kuriyama, T. Terano, and M. Numao



(INITIAL DISPLAY)

Two sequences of four scenes are chosen as parents.

(EVOLVED SEQUENCES)

Two better sequences are chosen as parents.

(FINAL DISPLAY)

Composition and comparison with similar composition.

## Researches on Interactive EC

@Takagi Laboratory

### application-oriented

- (1) 3-D CG lighting design support
- (2) montage image system
- (3) speech processing
- (4) hearing-aid fitting
- (5) virtual reality in robot control
- (6) media database retrieval
  - (joint1) virtual aquarium
  - (joint2) geoscientific simulation
  - (joint3) 3-D CG modeling education
  - (joint3) fireworks animation design
  - (joint4) mental disease diagnosis
  - (joint5) underground water management
  - (joint6) MEMS design

### interface research

- (1) input interface
  - 1.1 discrete fitness value input method
- (2) display interface
  - 2.1 prediction of user's evaluation char's
  - 2.2 display for time-sequential tasks
- (3) acceleration of GA convergence
  - 3.1 approximation of EC landscape
- (4) active user intervention to EC search
  - 4.1 on-line knowledge embedding
  - 4.2 Visualized IEC

## CONCLUSION

- We overviewed the **chronicled progression** of computational intelligence research especially on **NN, FS, and EC**.
- One of the future directions of the computational intelligence research is **humanized computational intelligence**.
- **Interactive EC** is one of such technologies.
- The Interactive EC has higher potential to be applied to **wide variety of fields**.

## Further Information

- Overview Paper of NN/FS/EC
  - Hideyuki Takagi, "Fusion Technology of Neural Networks and Fuzzy Systems: A Chronicled Progression from the Laboratory to Our Daily Lives," Int'l J. of Applied Mathematics and Computer Science, vol.10, no.4, pp.647--673 (2000).
- Survey Paper of Interactive EC
  - Hideyuki Takagi, "Interactive Evolutionary Computation: Fusion of the Capacities of EC Optimization and Human Evaluation," Proceedings of the IEEE vol.89, no.9, pp.1275--1296 (Sept., 2001).
- Personal Contact
  - takagi@kyushu-id.ac.jp
  - <http://www.kyushu-id.ac.jp/~takagi>